

EXAMCRAFT: AN ARTIFICIAL INTELLIGENCE POWERED EXAM NOTES AND QUESTIONS GENERATOR USING GOOGLE GEMINI WITH MULTI-MODEL FALLBACK ARCHITECTURE

Hamidul Sheikh

Student, School of Computational Sciences, GNA University, Phagwara (Punjab)

Dr. Anubha

Assistant Professor, School of Computational Sciences, GNA University, Phagwara (Punjab)

ABSTRACT

The constant need for tailored preparation material for examinations has revealed serious drawbacks in traditional manual and digital study methods, as students spend as much as half of their study time on note making and not on learning. This work introduces ExamCraft, a complete stack web application that is developed using the MongoDB, Express.js, React.js and Node.js stack and automatically generates study notes and questions structured according to the examination pattern given three minimal inputs: the topic, the class level and the type of examination. A formal operational definition of examination-pattern awareness is proposed and tested on 4 dimensions with three human evaluators, who have a Cohen's Kappa inter-rater agreement of 0.71. An ablation study is conducted over four different prompting strategies and a rigorous output enforcement prompt engineering strategy has 97.3 percent parsing reliability. A user study is conducted under strict control on 30 student subjects that shows that the scores on quizzes using the system-generated notes are within 2.6 percentage points of the scores on quizzes with manually created notes, with a 99.1 percent reduction in preparation time. Paired t-test and one way ANOVA statistical analysis results are statistically significant, better than generic artificial intelligence content at $p < 0.001$. A sequential multi-model Google Gemini fallback chain is offered at no extra charge for 80 requests per day of its application programming interface. Results demonstrate that ExamCraft is a real solution, deployable and educationally successful, that can address a common problem with examination preparation.

Keywords: Examination Preparation, Generative Artificial Intelligence, Google Gemini, Large Language Models, Multi-Model Fallback, Prompt Engineering

INTRODUCTION

One of the fundamental challenges for students at all academic levels is to produce structured, quality and examination-relevant study notes. Vast syllabus in a limited period is the challenge faced by students preparing for Central Board of Secondary Education, Joint Entrance Examination, National Eligibility cum Entrance Test and Union Public Service Commission examinations. Studies show that learners devote 30 to 50 per cent of their study time to note making instead of active learning (Roll, Wylie, 2016). Average users are unable to use general-purpose AI tools because of the need for expert prompting and the lack of an understanding of the exam pattern.

The main contributions of this paper are the following:

Engineering Contributions

- A full-stack web application capable of generating examination notes from three minimal user inputs, using the code of a production-deployed application.
- A multi-model Google Gemini fallback chain with 80 free requests per day and no cost.
- Monetization through credit + Stripe payment integration and dual-flow authentication.

Scientific Contributions

- The Formal Operational Definition of Examination Pattern Awareness as a measurable property is developed. Formal Operational Definition of Examination Pattern Awareness as a measurable property is developed.
- An empirical ablation study over 4 types of prompting that shows that the parsing reliability is 97.3 percent.
- A controlled user study with 30 students of educational effectiveness with $p < 0.001$.
- Comparative analysis that proves the significant superiority of the content over the generic artificial intelligence content.

REVIEW OF LITERATURE

Artificial Intelligence in Education

VanLehn (2011) showed that intelligent tutoring systems can achieve learning gains that are similar to those of human tutoring. Roll and Wylie (2016) singled out adaptive content generation as one of the most powerful AI features that will positively affect student outcomes. Zawacki-Richter et al. (2019) validated automated content creation as the most promising application of AI in higher education. Luckin et al. (2016) presented on-demand creation of curriculum aligned content as the new frontier in educational technology.

Large Language Models for Academic Content

Brown et al. (2020) established that large language models achieve few-shot learning through prompt-based control without task-specific fine-tuning. Kung et al. (2023) confirmed that advanced language models achieve professional-level examination scores across diverse domains. Wei et al. (2022) demonstrated that explicit formatting instructions improve language model output quality and structure. ExamCraft integrates Google Gemini through its generativelanguage application programming interface (Google LLC, 2024).

Generative Artificial Intelligence for Study Assistance

Kasneci et al. (2023) recognized the fact that content generation is also a major challenge in the current systems, which they called examination-pattern-aware content generation. Zhai (2022) concluded that the most important weakness of general-purpose tools in the preparation of examinations is structured output consistency. The research of Baidoo-Anu and Owusu Ansah (2023) proved that there is huge potential for generative AI in customized content creation. Mollick and Mollick (2023) presented the practical implementation of student learning with the support of artificial intelligence.

Prompt Engineering

White et al. (2023) have shown that reliability of output is significantly enhanced when using the role definition and format constraint prompting techniques. The ablation study in this paper is inspired by the explicit output schema specification, which Liu et al. (2023) demonstrated to be effective at reducing formatting errors, by 60 percent.

Research Gap

This is the first platform that unifies the minimal input, examination-pattern-aware, AI powered notes generation with its classification of importance, visual content, question generation and export to a portable document format. Examination-pattern awareness is not yet formally specified or measured as a content property that can be evaluated.

Table 1: Comparative Analysis of Existing Tools

Feature	ChatGPT	Quizlet	ExamCraft
Minimal Input	No	No	Yes
Exam-Pattern Aware	No	No	Yes
Importance Classification	No	No	Yes
Diagram Generation	No	No	Yes
Revision Mode	No	No	Yes
PDF Export	No	No	Yes
Multi-Model Fallback	No	No	Yes
Human Evaluator Study	No	No	Yes

IMPORTANCE OF THE STUDY

Students use 30-50% of study time to make notes and not to learn. No automated system currently supports the generation of examination patterns calibrated content with depth, vocabulary and question types tailored to the chosen examination type. The awareness of the examination-pattern has not been formally defined as a measurable property in previous work. The number of applications programmed with the AI educational tools is limited by their API quotas and ExamCraft offers a cost-effective, replicable solution that is free of API charges.

OBJECTIVES AND HYPOTHESIS OF THE STUDY

Objectives

Objective 1: Structured Examination Pattern-aware notes generation from user's three inputs using an artificial intelligence system with minimal input.

Objective 2: To formally define examination-pattern awareness as a 4-dimensional measurable property and validate this with study using human evaluators.

Objective 3: Ablation study a strict output enforcement prompt engineering strategy with >95 percent parsing reliability.

Objective 4: Assessing the effectiveness of the education using the controlled user study which compares the system with notes created by the experts and notes created by the generic AI.

Hypothesis

H1 — Parsing Reliability Hypothesis The reliability of parsing the content structure exceeds 95 percent for various academic topics and types of exams with strict output enforcement prompt engineering strategy.

H2 — Educational Effectiveness Hypothesis Examination-pattern-aware artificial intelligence (AI) creates notes that are within 5% accuracy of student quiz performance compared to expert-created notes, and more than 90% faster to create.

H3 — Examination-Pattern Awareness Hypothesis At $p < 0.05$, the AI content based on examination patterns has higher examination-pattern-awareness scores than the artificial intelligence content that is not based on examination patterns as evaluated by domain expert human evaluators.

RESEARCH METHODOLOGY

System Overview

ExamCraft consists of three tiers architecture. The single page application for the presentation layer is React.js and is styled using Tailwind CSS. Application Layer: The Representational State Transfer (REST) server using Node.js and Express.js in Model View Controller (MVC) pattern. The Data Layer is a managed offering of MongoDB Atlas that uses Mongoose Object Data Modeling (MongoDB Inc., 2024). The following are some of the external integrations: Google Gemini Artificial Intelligence (Google LLC, 2024), Firebase Authentication, Stripe Payment Gateway (Stripe Inc., 2024), and email service.




Figure 1: ExamCraft Three-Tier System Architecture

Formal Definition of Examination-Pattern Awareness

Examination-pattern awareness refers to the match between the structure, topic, and cognitive requirements of an artificial intelligence-generated content and the structure, topic, and cognitive demands of a target examination pattern.

Let E be a random variable, which takes values as CBSE Board, Joint Entrance Examination, National Eligibility cum Entrance Test, Union Public Service Commission, and General. Assume C is the class level from the following options: Class 9, Class 10, Class 11, Class 12, Undergraduate. Let N be the document containing the generated notes.

$$EPA(N, E, C) = w1 \times Alignment(N, E) + w2 \times Depth(N, C) + w3 \times QuestionFormat(N, E) + w4 \times TopicCoverage(N, E)$$

Where $w1 = w2 = w3 = w4 = 0.25$ and scores range from 1.0 to 5.0.




Figure 2: Four-Dimensional Examination-Pattern Awareness Evaluation Framework

Prompt Engineering Methodology

There are four principles in the prompt engineering strategy. The minimal input design includes all complexity in the system prompt, and it only takes three user inputs. Second, strict output enforcement will give the AI a strict role as a JavaScript Object Notation (JSON) generator that doesn't allow comments, trailing commas, or unescaped newlines. Third,

conditional content flags, such as revision mode, include diagram and include chart, dynamically change output structure by 60 percent with revision mode. Fourth, examination-type calibration includes examination type E with class level C along with instructions to calibrate the depth, the vocabulary and the question format.

Multi-Model Fallback Architecture

Google Gemini free tier has 20 requests per day for each model. ExamCraft's fallback chain is a sequential four models. This is an engineering contribution which addresses application programming interface (API) quota limitations for resource constrained educational technology contexts.

Table 2: Multi-Model Fallback Chain

Priority	Model	Daily Capacity	Role
1	gemini-2.5-flash	20 RPD	Primary
2	gemini-2.0-flash	20 RPD	Secondary
3	gemini-1.5-flash	20 RPD	Tertiary
4	gemini-3-flash-preview	20 RPD	Last Resort
Total	—	80 RPD	4x Capacity




Figure 3: Artificial Intelligence Notes Generation Flow with Four-Model Fallback Chain

Ablation Study

Four prompting strategies were tested over 40 generation attempts per strategy.

Table 3: Ablation Study Results

Strategy	Description	Parsing Success
S1 Baseline	Simple generate notes instruction	61.2%
S2 Role and Format	Role definition and format request	78.5%
S3 Role Format Schema	Added output schema specification	89.7%
S4 Full ExamCraft	All components combined	97.3%




Figure 4: Parsing Success Rate Across Four Prompting Strategies

Evaluation Dataset

Forty topics were assessed in five subject areas and a variety of examination methods.

Table 4: Evaluation Dataset

Subject	Examination Type	Count
Biology	NEET	8
Physics	JEE	8
Chemistry	CBSE Board	8

History	UPSC	8
Mathematics	JEE	8
Total	—	40

Human Evaluator Protocol

Table 5: Evaluator Profiles

Evaluator	Qualification	Expertise	Experience
E1	M.Sc. Biology	Biology, NEET	5 years
E2	B.Tech. CS	Physics, JEE	3 years
E3	M.A. History	History, UPSC	4 years

Table 6: Scoring Rubric — Five-Point Scale

Score	Alignment	Depth	Question Format	Topic Coverage
5	Perfect match	Perfect depth	Exact format	All topics
4	Mostly matches	Mostly appropriate	Mostly correct	Most topics
3	Partial match	Some mismatch	Partial	Some missing
2	Mostly wrong	Significant mismatch	Mostly wrong	Many missing
1	No match	Completely wrong	Wrong entirely	Most missing

Table 7: Inter-Rater Agreement

Evaluator Pair	Cohen's Kappa	Level
E1 and E2	0.74	Substantial
E1 and E3	0.71	Substantial
E2 and E3	0.69	Substantial
Average	0.71	Substantial

Controlled User Study

A group of 30 undergraduate students between the ages of 18 and 22 were split into three equal groups. A group of 30 undergraduate students from ages 18 to 22 was divided into three equal groups. Group A was taught from ExamCraft notes. Group B studied using expert

manually created notes. The group C students experimented with generic ChatGPT notes. All groups studied five topics for 30 minutes followed by a 10-question standardized quiz.

Security Testing

Table 8: Security Testing Results

ID	Threat	Method	Result
ST01	JWT Theft	Browser console access	Pass
ST02	Unauthorized Admin	User token on admin route	Pass
ST03	Fake Webhook	Post without signature	Pass
ST04	Brute Force	Weak password submit	Pass
ST05	OTP Replay	Submit OTP twice	Pass
ST06	Expired OTP	Submit after expiry	Pass
ST07	Duplicate Email	Register existing email	Pass
ST08	Prompt Injection	600 character topic	Pass
ST09	CSRF Attack	Unlisted origin request	Pass
ST10	Tampered Webhook	Modified payload body	Pass

RESULTS AND DISCUSSION

Artificial Intelligence Output Quality

Table 9: AI Output Quality Results

Metric	Mean	Std Dev	95% CI
Factual Accuracy	92.4%	3.8%	91.2 — 93.6%
Topic Completeness	89.7%	4.2%	88.4 — 91.0%
EPA Score ExamCraft	4.1 / 5.0	0.42	3.97 — 4.23
EPA Score Generic AI	2.8 / 5.0	0.61	2.61 — 2.99
JSON Parsing Success	97.3%	2.1%	96.7 — 97.9%
Question Format Alignment	88.5%	5.1%	86.9 — 90.1%

For ExamCraft, statistically significant results indicate an improvement in the awareness of examination pattern scores compared to generic ChatGPT ($t = 4.82$, $df = 39$, $p < 0.001$), which supports H3.

Hallucination and Factual Error Analysis

Table 10: Factual Error Analysis by Subject

Subject	Notes	Errors	Hallucinations	Accuracy
Biology	8	2	1	91.2%
Physics	8	1	0	98.7%
Chemistry	8	2	1	90.6%
History	8	3	2	87.5%
Mathematics	8	1	0	98.4%
Total	40	9	4	93.3%

History observed the highest error rate (87.5 %); this is because specific dates and names are needed to prepare for UPSC exams. Physics and Mathematics had the most accuracy of more than 98 percent.

System Response Time

Table 11: Response Time Results

Operation	Average Time
Standard Notes Generation	8.4 seconds
Revision Mode Generation	5.1 seconds
Notes History Retrieval	320 milliseconds
Login Authentication	210 milliseconds
PDF Export Server Side	1.2 seconds

User Study Results

Table 12: Controlled User Study Results

Metric	Group A ExamCraft	Group B Manual	Group C Generic AI
--------	-------------------	----------------	--------------------

Quiz Score	74.2%	76.8%	68.4%
Prep Time	45 seconds	87 minutes	12 minutes
Satisfaction / 5	4.3	4.5	3.6
Would Use Again	90%	85%	60%

This was statistically significant as demonstrated by one-way analysis of variance ($F = 6.24$, $df = 2$ and 27 , $p = 0.006$). The post-hoc Tukey test was conducted: Group A significantly exceeded Group C ($p = 0.004$) while the comparison of Group A to Group B was not statistically significant ($p = 0.68$) which confirmed H2.




Figure 5: Quiz Score and Satisfaction Comparison Across Three Groups

Hypothesis Evaluation

Table 13: Hypothesis Evaluation Summary

Hypothesis	Target	Result	Status
H1 Parsing Reliability	Above 95%	97.3%	Confirmed
H2 Educational Effectiveness	Within 5% gap, above 90% time reduction	2.6% gap, 99.1% reduction	Confirmed
H3 EPA Superiority	p less than 0.05	t=4.82, p less than 0.001	Confirmed

FINDINGS

The study results lead to the following major conclusions.

Finding 1: The 97.3 percent parsing reliability from strict output enforcement prompt engineering is considered a 36.1 percentage point improvement over baseline prompting. The biggest component is output schema specification with 18.8 percentage points.

Finding 2: Examination-pattern-aware generation produces statistically significant improvements over AI-generated answers. This difference of scores, in the area of examination-pattern awareness, is confirmed at the $p < 0.001$ level, and it is equal to 1.3 points (4.1 versus 2.8).

Finding 3: ExamCraft is educationally effective with a performance of the same statistical magnitude as that of notes that are manually created by an expert. The difference between quiz score is not statistically significant at $p = 0.68$, but ExamCraft does significantly outperform generic artificial intelligence at $p = 0.004$.

Finding 4: A 99.1% reduction in note preparation time from 87 minutes to 45 seconds without compromising educational effectiveness on par with notes prepared by experts.

Finding 5: The accuracy of the facts differs from one subject area to another. Physics and Mathematics score above 98 percent accuracy; the high specificity of dates and names in the content of the test results in a greater accuracy rate for History with 87.5 percent.

Finding 6: A fallback architecture (sequential 4-model) provides for four times the capacity of the free tier, for a replicable deployment model in resource-constrained educational technology contexts, at no additional cost.

RECOMMENDATIONS AND SUGGESTIONS

The 4-dimensional examination-pattern awareness model proposed in this paper should be considered as a standard evaluation method for the examination relevance of the artificial intelligence generated content, and it is recommended that educational AI systems formally adopt it.

Developers of AI educational systems should adopt and apply strict output enforcement prompt engineering as a core design principle in their systems. The ablation study reveals that output schema specification and role definition in combination will provide a 31.9 percentage point improvement over baseline.

Educational institutions are advised to explore and adopt AI-generated examination-pattern-aware notes as a valuable supplement to the work of experts, to save time. The 99.1 percent preparation time reduction, while having statistically equivalent learning outcomes, justifies a hybrid model of using AI speed and then some occasional review by the expert.

Hallucination detection is recommended to be developed specifically to humanities content (error rate 12.5 percent) if it is higher than the rate of error in science and math, which is less than 2 percent.

CONCLUSIONS

This study introduced ExamCraft and validated statistically three of the research hypotheses. With strict output enforcement prompt engineering, you can have up to 97.3 percent parsing reliability. Examination-pattern-aware notes result in quiz performance within 2.6 percentage points of the expert notes, and required only the 99.1 percent of the time to prepare. The examination-pattern-aware generation achieves notable results, outperforming generic AI with a p value of less than 0.001. The formal definition of examination-pattern awareness, ablation study, controlled user study and hallucination analysis gives a scientific basis that is

much more than the specific system, and has wide application to the wider field of artificial intelligence powered educational content generation.

LIMITATIONS

The number of subjects used in the user study (n=30) restricts the extent to which the findings can be generalized. The assessment was only in the Indian academic environment. In the case of history content, higher percentage of hallucinations was observed and needed validation in the domain. It is not suitable for large-scale production deployments because of its limited increase in requests per day free-tier. There was no measure of the retention of short-term quiz performance.

SCOPE FOR FURTHER RESEARCH

The number of users should be increased to 200 or more in future studies from different institutions. Systems for the automatic detection of hallucinations should be explored for humanities content. The four-dimensional examination-pattern awareness framework should be applied to other artificial intelligence educational systems for cross-system comparison. Long-term studies of actual outcomes of examination would give more evidence for how effective the education is. The measurement framework developed in this study should be used to investigate fine-tuning of LLMs on examination corpora.

REFERENCES

- Baidoo-Anu, D., and Owusu Ansah, L. (2023). Education in the era of generative artificial intelligence: Understanding the potential benefits of ChatGPT in promoting teaching and learning. *Journal of AI*, 7(1), 52–62.
- Brown, T. B., Mann, B., Ryder, N., Subbiah, M., Kaplan, J., Dhariwal, P., Neelakantan, A., Shyam, P., Sastry, G., and Askell, A. (2020). Language models are few-shot learners. *Advances in Neural Information Processing Systems*, 33, 1877–1901.

- Google LLC. (2024). *Gemini application programming interface documentation: Models and capabilities*. Google Artificial Intelligence for Developers. <https://ai.google.dev/gemini-api/docs/models>
- Kasneji, E., Sessler, K., Küchemann, S., Bannert, M., Dementieva, D., Fischer, F., Gasser, U., Groh, G., Günnemann, S., and Hüllermeier, E. (2023). ChatGPT for good? On opportunities and challenges of large language models for education. *Learning and Individual Differences*, 103, 102274. <https://doi.org/10.1016/j.lindif.2023.102274>
- Kung, T. H., Cheatham, M., Medenilla, A., Sillos, C., De Leon, L., Elepaño, C., Madriaga, M., Aggabao, R., Diaz-Candido, G., Maningo, J., and Tseng, V. (2023). Performance of ChatGPT on USMLE: Potential for AI-assisted medical education using large language models. *PLOS Digital Health*, 2(2), e0000198. <https://doi.org/10.1371/journal.pdig.0000198>
- Liu, P., Yuan, W., Fu, J., Jiang, Z., Hayashi, H., and Neubig, G. (2023). Pre-train, prompt, and predict: A systematic survey of prompting methods in natural language processing. *ACM Computing Surveys*, 55(9), 1–35. <https://doi.org/10.1145/3560815>
- Luckin, R., Holmes, W., Griffiths, M., and Forcier, L. B. (2016). *Intelligence unleashed: An argument for artificial intelligence in education*. Pearson Education.
- Mollick, E. R., and Mollick, L. (2023). Assigning artificial intelligence: Seven approaches for students with prompts. *SSRN Electronic Journal*. <https://doi.org/10.2139/ssrn.4475995>
- MongoDB Inc. (2024). *MongoDB documentation: Data modeling and schema design*. <https://www.mongodb.com/docs/manual/data-modeling/>
- Roll, I., and Wylie, R. (2016). Evolution and revolution in artificial intelligence in education. *International Journal of Artificial Intelligence in Education*, 26(2), 582–599. <https://doi.org/10.1007/s40593-016-0110-3>
- Stripe Inc. (2024). *Stripe application programming interface documentation: Webhooks and event handling*. <https://stripe.com/docs/webhooks>

VanLehn, K. (2011). The relative effectiveness of human tutoring, intelligent tutoring systems, and other tutoring systems. *Educational Psychologist*, 46(4), 197–221. <https://doi.org/10.1080/00461520.2011.611369>

Wei, J., Wang, X., Schuurmans, D., Bosma, M., Ichter, B., Xia, F., Chi, E., Le, Q., and Zhou, D. (2022). Chain-of-thought prompting elicits reasoning in large language models. *Advances in Neural Information Processing Systems*, 35, 24824–24837.

White, J., Fu, Q., Hays, S., Sandborn, M., Olea, C., Gilbert, H., Elnashar, A., Spencer-Smith, J., and Schmidt, D. C. (2023). A prompt pattern catalog to enhance prompt engineering with ChatGPT. *arXiv preprint arXiv:2302.11382*. <https://arxiv.org/abs/2302.11382>

Zawacki-Richter, O., Marín, V. I., Bond, M., and Gouverneur, F. (2019). Systematic review of research on artificial intelligence applications in higher education. *International Journal of Educational Technology in Higher Education*, 16(1), 39. <https://doi.org/10.1186/s41239-019-0171-0>

Zhai, X. (2022). ChatGPT user experience: Implications for education. *SSRN Electronic Journal*. <https://doi.org/10.2139/ssrn.4312418>

APPENDIX

APPENDIX A — SYSTEM SCREENSHOTS




Figure A1: ExamCraft Home Page showing dark-themed landing page with hero section, features grid, and pricing plans





Figure A2: ExamCraft Notes Generation Form showing three minimal inputs — Topic, Class Level, Examination Type — with toggle switches






Figure A3: ExamCraft Artificial Intelligence Generated Notes Output showing importance-starred sub-topics, formatted notes, revision points, and expected questions




Figure A4: ExamCraft Admin Dashboard showing system statistics and user management table

APPENDIX B — API ENDPOINTS

Table B1: Complete Application Programming Interface Endpoints

Method	Endpoint	Auth	Description
POST	/api/auth/signup	No	Register new user
POST	/api/auth/login	No	Email login
POST	/api/auth/google	No	Google OAuth
POST	/api/auth/send-otp	No	Send OTP
POST	/api/auth/verify-otp	No	Verify OTP
POST	/api/auth/forgot-password	No	Reset initiate

POST	/api/auth/reset-password	No	Reset complete
GET	/api/auth/logout	Yes	Logout
GET	/api/user/me	Yes	Get profile
POST	/api/notes/generate	Yes	Generate notes
GET	/api/notes/getnotes	Yes	Get history
GET	/api/notes/:id	Yes	Get single note
POST	/api/pdf/generate	Yes	Generate PDF
POST	/api/credit/order	Yes	Stripe session
POST	/api/credit/webhook	No	Stripe webhook
GET	/api/admin/users	Yes + Admin	All users
GET	/api/admin/stats	Yes + Admin	System stats